

Date Revised: 12/4/2014

Supersedes: n/a

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

| Product Name(s):      | Five Star <sup>®</sup> Fluid Grout 100, Special Grout 110, Special Grout 120,<br>Special Grout 150, Special Grout 550, Fluid 100 SP, Fluid 100 SP AT,<br>Fluid Grout 100 N, Fluid Grout 100 Red N, Fluid Grout 100 SPR |
|-----------------------|--|
| Synonyms:             | FG100, Fluid 100   |
| Product Use:          | For use in supporting machinery and equipment requiring precision alignment.   |
| Restrictions on Use:  | N/A  |
| Manufacturer/Supplier | Five Star Products, Inc.<br>750 Commerce Drive<br>Fairfield, CT 06825 USA  |
| Phone #:              | 203-336-7900   |
| Emergency Phone #:    | CHEM-TEL 1-800-255-3924<br>(Outside the U.S. 1-813-248-0585)   |

# SECTION 2: HAZARD(S) IDENTIFICATION-GHS INFORMATION

| Classification:                      | Acute Oral Toxicity – Category 4<br>Skin Corrosion/Irritation – Category 2<br>Acute Toxicity – Dermal, Category 2<br>Eye Damage/Irritation – Category 1<br>Sensitization – Respiratory, Category 1<br>Carcinogenicity – Category 1A<br>Specific Target Organ Systemic Toxicity (Single Exposure) – Cat 3<br>Specific Target Organ Toxicity (Repeated Exposure) – Cat 2 |  |
|--------------------------------------|--|--|
| Label Elements/Hazard<br>Pictograms: |  |  |
| Signal Word:                         | Danger   |  |
| Hazard Statements:                   | Harmful if swallowed H302<br>May cause skin irritation H317<br>Causes severe skin burns and eye damage H314<br>May cause respiratory irritation H335<br>May cause an allergic skin reaction H317<br>May cause cancer by inhalation H350<br>May cause damage to organs through prolonged or repeat exposure<br>H373   |  |



Date Revised: 12/4/2014

Supersedes: n/a

| Precautionary<br>Statements/Prevention: | Do not breathe dust, fume, gas, mist, vapors, or spray, P260.<br>Wash thoroughly after handling, P264.<br>Do not eat, drink or smoke when using this product, P270.<br>Contaminated work clothing should not be allowed out of the workplace,<br>P272.<br>Wear protective gloves, protective clothing, eye protection and face<br>protection, P280.<br>Wear respiratory protection, P284.  |
|---|--|
| Response:                               | <ul> <li>If swallowed: Rinse mouth. Do NOT induce vomiting, P330, P331.</li> <li>If on skin (or hair): Take off immediately all contaminated clothing.<br/>Rinse skin with water/shower, P361, P353.</li> <li>If inhaled: Remove person to fresh air and keep comfortable for<br/>breathing, P340.</li> <li>If in eyes: Rinse cautiously with water for several minutes, P351.<br/>Remove contact lenses, if present and easy to do. Continue rinsing,<br/>P338.</li> <li>Immediately call a poison center or doctor, P310.</li> <li>If skin irritation or rash occurs, P333: Get medical advice/attention,<br/>P313.</li> <li>If experiencing respiratory symptoms, P342: Call a poison center or<br/>doctor, P310. Wash contaminated clothing before reuse, P363.</li> </ul> |
| Storage:                                | Store locked up.   |
| Disposal:                               | Dispose of contents/container in accordance with applicable regional, national, and local laws and regulations.  |
| Hazards Not Otherwise<br>Classified:    | Not applicable   |

| SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS |                                 |            |         |
|---|---------------------------------|------------|---------|
| Hazardous<br>Ingredient(s)                        | Common<br>Name/Synonyms         | CAS No.    | % wt/wt |
| Portland<br>Cement                                | Hydraulic Cement                | 65997-15-1 | 45-60   |
| Quartz  | Silicon Dioxide, Silica<br>Sand | 14808-60-7 | 40-55   |

## **SECTION 4: FIRST AID MEASURES**

### Inhalation:

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms call poison center or doctor.

| FIVE STAR           | Safety Data Sheet   | Date Revised: 12/4/2014  |  |  |
|---------------------|---|--|--|--|
| ×.                  | -   | Supersedes: n/a  |  |  |
| Eye Contact:        | contact lenses, if present and easy   | If in eyes: Rinse cautiously with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor. |  |  |
| Skin Contact:       | If on skin (or hair): Take off immediately all contaminated clothing.<br>Rinse skin with water/shower for at least 15 minutes. Immediately call<br>a poison center or doctor if irritation develops. Wash contaminated<br>clothing before reuse.        |  |  |  |
| Ingestion:          | If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call<br>a poison center or doctor. If vomiting occurs naturally, have victim lean<br>forward to reduce the risk of aspiration. Never give anything by mouth<br>to an unconscious person. |  |  |  |
| General Advice:     | In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).  |  |  |  |
| Note to Physicians: | Symptoms may not appear immediately. Treat symptomatically.   |  |  |  |

| SECTION 5: FIRE-FIGHTING MEASURES          |   |  |
|--|---|--|
| Flammability and Explosion<br>Information: | Not flammable or combustible by OSHA/WHMIS criteria.  |  |
| Sensitivity to Mechanical<br>Impact:       | This material is not sensitive to mechanical impact.  |  |
| Sensitivity to Static<br>Discharge:        | This material is sensitive to static discharge at temperatures at or above the flash point.   |  |
| MEANS OF EXTINCTION                        |   |  |
| Suitable Extinguishing Media:              | Small Fire: Dry chemical, CO2, or water spray.<br>Large Fire: Dry chemical, CO2, alcohol-resistant foam or water spray.<br>Move containers from fire area if you can do it without risk. Dike fire-<br>control water for later disposal; do not scatter the material. |  |
| Unsuitable Extinguishing<br>Media:         | Not available.  |  |
| Product of Combustion:                     | Non-combustible   |  |
| Protection of Firefighters:                | As in any fire, wear self-contained breathing apparatus pressure-<br>demand, MSHA/NIOSH (approved or equivalent) and full protective<br>gear.   |  |



Supersedes: n/a

### SECTION 6: ACCIDENTAL RELEASE MEASURES

| Emergency Procedures:      | Use personal protective equipment. Ensure adequate ventilation. Keep people from spill. Avoid dust formation.   |
|----------------------------|---|
| Personal Precautions:      | Avoid inhalation of dust. Do not get into eyes, on skin, or clothing.   |
| Environmental Precautions: | The environmental impact of this product has not been fully investigated.   |
| Methods for Containment:   | Cover powder spill with plastic sheet or tarp to minimize spreading.<br>Collect this material into a disposal container by sucking or sweeping<br>up. |
| Methods for Cleanup:       | Pick up and transfer to properly labeled containers.  |
| Other Information:         | See Section 13 for disposal considerations.   |

| SECTION 7: HANDLING AND STORAGE |  |
|---------------------------------|--|
| Handling:                       | Wear personal protective equipment. Ensure adequate ventilation.<br>Avoid dust formation. Do not breathe dust. Prevent contact with skin,<br>eyes, and clothing. Wash thoroughly after handling. |
| Storage:                        | Keep containers tightly closed in a cool, dry, and well-ventilated place.<br>Store locked up.  |

### SECTION 8: EXPOSURE CONTORLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

| Component       | CAS No.    | ACGIH TLV   | OSHA PEL   |
|-----------------|------------|---|--|
| Portland cement | 65997-15-1 | TWA: 1mg/m <sup>3</sup><br>particulate matter<br>containing no asbestos<br>and <1% crystalline<br>silica, respirable fraction | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable<br>fraction (vacated) TWA: 10<br>mg/m <sup>3</sup> total<br>dust<br>(vacated) TWA: 5 mg/m <sup>3</sup><br>respirable fraction<br>TWA: 50 mppcf <1%<br>Crystalline silica |
| Quartz          | 14808-60-7 | TWA: 0.025mg/m <sup>3</sup> respirable fraction   | 30/(%SiO2+2) mg/m <sup>3</sup> TWA,<br>Total Dust;250/%SiO2+5)<br>mppcf TWA, respirable fraction;<br>10/(%SiO2+2) mg/m <sup>3</sup> TWA,<br>respirable<br>TWA: 0.1 mg/m <sup>3</sup> (vacated)   |



**Engineering Controls:** Not normally required.

## PERSONAL PROTECTIVE EQUIPMENT (PPE)

| Eye/Face Protection:               | Tightly fitting safety goggles  |  |
|------------------------------------|---|--|
| Hand Protection:                   | Impervious gloves. Impervious clothing.   |  |
| Skin and Body Protection:          | Impervious gloves. Impervious clothing.   |  |
| Respiratory Protection:            | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA<br>approved respiratory protection should be worn. Positive-pressure supplied air<br>respirators may be required for high airborne contaminant concentrations.<br>Respiratory protection must be provided in accordance with current local<br>regulations. |  |
| General Hygiene<br>Considerations: | Handle according to established industrial hygiene and safety practices.  |  |

| SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES |                                  |  |
|---|----------------------------------|--|
| Appearance:                                 | Gray, finely ground solid powder |  |
| Color:                                      | Gray                             |  |
| Odor:                                       | Mild                             |  |
| Odor Threshold:                             | None                             |  |
| Physical State:                             | Solid, powder                    |  |
| pH:   | 12 when mixed with water         |  |
| Melting Point / Freezing Point:             | n/a                              |  |
| Initial Boiling Point:                      | n/a                              |  |
| Boiling Point:                              | n/a                              |  |
| Flash Point:                                | n/a                              |  |
| Evaporation Rate:                           | n/a                              |  |
| Flammability (solid, gas):                  | n/a                              |  |
| Lower Flammability Limit:                   | n/a                              |  |
| Upper Flammability Limit:                   | n/a                              |  |
| Vapor Pressure:                             | n/a                              |  |
| Vapor Density:                              | n/a                              |  |



Date Revised: 12/4/2014

Supersedes: n/a

| Relative Density:                       | n/a             |
|---|-----------------|
| Solubility:                             | Slight 0.2-0.5% |
| Partition Coefficient: n-Octanol/Water: | n/a             |
| Auto-ignition Temperature:              | n/a             |
| Decomposition Temperature:              | n/a             |
| Viscosity:                              | n/a             |
| Percent Volatile, wt.%:                 | n/a             |
| VOC Content, wt.%:                      | n/a             |
| Density:                                | n/a             |
| Coefficient of Water/Oil Distribution:  | n/a             |

| SECTION 10: STABILITY AND REACTIVITY   |  |  |  |  |
|--|--|--|--|--|
| Chemical Stability:                    | Stable under recommended storage conditions.   |  |  |  |
| Possibility of Hazardous<br>Reactions: | None under normal processing.  |  |  |  |
| Conditions to Avoid:                   | Exposure to water – product may harden on contact with water.<br>Manage dust formation during usage. |  |  |  |
| Incompatible Materials:                | Strong acids.  |  |  |  |

## SECTION 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure.

|  | Product information   |   |  |  |  |  |
|--|---|---|--|--|--|--|
|  | Inhalation  | Irritating to respiratory system. Irritating to mucous membranes. |  |  |  |  |
|  | Eye contact   | Risk of serious damage to eyes.                                   |  |  |  |  |
|  | Skin contact  | Irritating to skin. May cause allergic skin reaction              |  |  |  |  |
|  | Ingestion   | Harmful if swallowed.   |  |  |  |  |
|  | Component information   |   |  |  |  |  |
|  | Chemical Name: Quartz LD50  | Oral: 500 mg/kg (Rat) ACGIH: A2 – Suspected Human Carcinogen      |  |  |  |  |
| IARC: Group 1 – Carcinogenic to humans OSHA: X-present |   |   |  |  |  |  |
|  | Delayed and immediate effects and also chronic effects from short and long term exposure. |   |  |  |  |  |
|  |   |   |  |  |  |  |

| SECTION 12: ECOLOGICAL INFORMATION |   |  |  |  |
|------------------------------------|---|--|--|--|
| Toxicity:                          | The environmental impact of this product has not been fully investigated. |  |  |  |
| Aquatic Toxicity:                  | The environmental impact of this product has not been fully investigated. |  |  |  |



| Persistence and<br>Degradability:    | No information available.  |  |  |  |
|--------------------------------------|--|--|--|--|
| <b>Bio-accumulative Potential:</b>   | Does not accumulate in organisms   |  |  |  |
| Mobility in Soil:                    | No further relevant information available  |  |  |  |
| Ecotoxical Effects<br>Remark:        | No information available.  |  |  |  |
| Additional Ecological<br>Information | No information available.  |  |  |  |
| General Notes:                       | This statement was deduced from products with a similar structure or<br>composition. Due to available data on eliminability/decomposition and<br>bio-accumulation potential prolonged term damage of the environment<br>cannot be excluded. Do not allow undiluted product or large quantities<br>of it to reach ground water, water course or sewage system. Also<br>poisonous for fish and plankton in water bodies. Toxic for aquatic<br>organisms. |  |  |  |
| PBT Assessment:                      | N/A  |  |  |  |
| vPvB Assessment:                     | N/A  |  |  |  |
| Other Adverse Effects:               | No further relevant information available  |  |  |  |

## SECTION 13: DISPOSAL CONSIDERATIONS

| Waste Treatment Methods |   |
|-------------------------|---|
| Recommendation:         | This material as supplied is not a hazardous waste according to Federal regulations (40CFR261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. |
| Uncleaned Packaging     |   |
| Recommendation:         | Disposal must be made according to official regulations. Do not re-use empty containers.  |

### **SECTION 14: TRANSPORT INFORMATION**

| US DEPARTMENT of<br>TRANSPORTATION (DOT)<br>Proper Shipping Name: | Not regulated. |
|---|----------------|
| Class:  | n/a            |
| UN #:   | n/a            |
| Packing Group:  | n/a            |



CANADA Transportation of<br/>Dangerous Goods (TDG)<br/>Proper Shipping Name:Not regulatedClass:n/aUN #:n/aPacking Group:n/a

#### **SECTION 15: REGULATORY INFORMATION**

| CHEMICAL INVENTORIES                  |   |   |    |    |    |    |   |  |
|---------------------------------------|---|---|----|----|----|----|---|--|
| US (TSCA):                            | The components of this product are in compliance with the chemical notification requirements of TSCA.   |   |    |    |    |    |   |  |
| CANADA (DSL):                         | The components of this product are in compliance with the chemical notification requirements of NSN Regulations under CEPA, 1999.   |   |    |    |    |    |   |  |
| U.S. FEDERAL REGULATIONS              | Section 313 of Title III of the Superfund Amendments and<br>Reauthorization Act of 1986 (SARA). This product does not contain any<br>chemicals which are subject to the reporting requirements of the Act<br>and Title 40 of the CFR, Part 372. |   |    |    |    |    |   |  |
| UNITED STATES:                        | This SDS has been prepared to meet the US OSHA Hazard Communication Standard, 29 CFR 1910.1200  |   |    |    |    |    |   |  |
| SARA 311/312 Hazard<br>Categories     | Acute health hazard – Yes<br>Chronic Health hazard – Yes<br>Fire Hazard – No<br>Sudden Release of Pressure – No<br>Reactive Hazard - No   |   |    |    |    |    |   |  |
| US STATE Right to Know<br>Regulations | Chemical<br>Name  | Ŋ | MA | PA | IL | RI | ] |  |
| -                                     | Portland<br>Cement  | x | x  | x  |    | x  |   |  |

|                     | Quartz         | X            | X        | X            | X                         |
|---------------------|----------------|--------------|----------|--------------|---------------------------|
| California          | This product o | contains the | followin | g Propositio | n 65 chemicals.           |
| California Prop 65: | Chemical Nam   | ne: Quartz   | CAS-No:  | 14808-60-    | 7 CA Prop. 65: Carcinogen |

- -

#### **SECTION 16: OTHER INFORMATION**

**Disclaimer:** The information contained in this document applies to the specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for one's own particular use.